



SALE NEW

fountaine pajot Elba 45

MARINA YACHT SALES

## Description

Designed by the Sailors, the Fountaine Pajot catamarans are particularly suitable for sailing in the ocean. Their hulls, with their well-balanced volumes, are at home at all speeds and in all seas. Their deck layout is carefully thought out and well-equipped, ensuring ease of movement and navigation for the crew. Their performance is equally remarkable thanks to their excellent power-to-weight ratio, their generous sail area is equally distributed between mainsail and genoa. With the furling and battened mainsail on the ball bearing carriages, the sail surface is easily adaptable to the weather conditions, in order to fully exploit the potential of the vessel. When racing with other cruising catamarans on equal terms, the Fountaine Pajot catamarans stand out! The Fountaine Pajot Catamarans have more than 500 Atlantic crossings to their credit and have sailed around the world hundreds of times.

NEW READY FOR DELIVERY, TRADE-INS ARE EVALUATED, POSSIBILITY OF FINANCING WITH NAUTICAL LEASING

ARE YOU INTERESTED IN A PURCHASE WITH A CUSTOMIZED FULFILLMENT PROGRAM?

[www.marinayachtcharter.com](http://www.marinayachtcharter.com)

INTERIORS

4 cabins 4 bathrooms

Cabins with en-suite bathrooms and separate shower cubicles

Large indoor dinette with dining table and L-shaped sofa

## Specifications

YEAR

2024

WIDTH

7.55

FUEL TANK CAPACITY

470

CABINS

4

ENGINE MANUFACTURER

Nanni N4 65 SD

LENGTH

13.45

DRAFT

1.20

GUESTS CRUISING

12

BATHROOMS

1

HORSE POWER

2 X 65 CV

**General**

---

TYPE	BRAND	MODEL	GUESTS CRUISING
Sailboat	fountaine pajot	Elba 45	12

**Dimensions / Performance**

---

FUEL CAPACITY (L)  
470

**Building / facilities**

---

DECK MATERIAL	AMOUNT OF CABINS	BERTHS	BATHROOM(S)
Vetroresina	4	8	1

**Engine room**

---

ENGINE	NUMBER OF ENGINES HORSE POWER (CV)	PROPULSION
Nanni N4 65 SD	2 x 65	3 pale

**Electricity / air conditioning**

---

ENGINE BATTERY	BATTERY CHARGER	GENERATOR
----------------	-----------------	-----------













