





Description

The Sun Odyssey 45.2 derives from the previous model, the 45.1, but the differences between the two models are really superficial, and therefore from a commercial perspective the two models are to be considered equal.

Designed with comfortable cruising in mind and sailing fun, the Sun Odyssey 45.2 is a beautiful 14 meters, it has been designed intelligently, both for indoor and outdoor spaces.

The versions proposed by the shipyard were two: three and four cabins.

The kitchen is walled, and equipped with a large refrigerator and various shelves where to store groceries.

In many models, the dinette is transformable. The bathrooms are two and both very spacious.

The capacity of the water tanks is 600 liters against 300 liters of the previous model.

The cockpit can accommodate 6 people.

The boat, in great demand in the Mediterranean, has been produced in several hundred specimens, establishing itself worldwide.

Navigation equipment:

Rudder angle indicator, DSC vhf, 2 GPS (Raymarine).

Staging and technical:

Specifications

YEAR

2003

WIDTH

4.48

FUEL TANK CAPACITY

205

BATHROOMS

1

HORSE POWER

1 X 75 CV

LENGTH

13.80

DRAFT

2.00

CABINS

4

ENGINE MANUFACTURER

Builder Engine



Ge	n	e	ra
~			. •

TYPE BRAND MODEL CURRENT LOCATION
Sailboat jeanneau Sun odyssey 45.2 Puglia

Dimensions / Performance

WEIGHT (T) FUEL CAPACITY (L) CRUISING SPEED (ND) TOP SPEED (ND)
9300.00 205 8 8

Building / facilities

HULL MATERIAL DECK MATERIAL AMOUNT OF CABINS BERTHS

Vetroresing 4 10

BATHROOM(S)

Engine room

ENGINE NUMBER OF ENGINES HORSE POWER (CV) PROPULSION FUEL

Builder Engine 1 x 75 standard Diesel

Electricity / air conditioning

ENGINE BATTERY

BATTERY

CHARGER





Navigation equipment					
GPS	TRACER	RADAR	AUTO PILOT		
VHF	NAVIGATION COMPASS	SONAR	WIND INSTRUMENTS		
SPEEDOMETER	ANCHOR				
Galley/Laundry/Ento	ertainment				
OVEN	FREEZER	FRIDGE	TV		
Deck equipment					
DECK SHOWER	BIMINI	CANOPY			
Safety equipment / m	iscellaneous				
LIFE RAFT	BILGE PUMP				
Sails					
GENOA SAIL	MAIN SAIL				



























