





Description

The passion of an owner and the genius of the Studio Geometrie Marine of the engineer Aldo Gatti with the mastery of a historic Leopoldo Colombo shipyard on Lake Como, have given life to an extraordinary interpretation of the American lobster.

The boat is built in wood on the lines of the standard boat Rose Island 38', with which it shares the Designer and the proven sailing and seaworthiness qualities. It consists of oak wood frames, triple laminated mahogany planking and solid mahogany and mahogany plywood superstructures with a beautiful Teak deck. From the keel to the mast, there is not a single fiberglass component. There are numerous accessories and features that contribute to making this hull complete and self-sufficient even for long-range cruises. From the electrical panel on which every single on-board user is highlighted, to the mooring winch at the stern, from the outdoor shower with hot and cold water to the remote-controlled gangway, from the 3.5 KW generator under the stern, to the flaps that help to keep the trim stable while underway and to the side wooden fins to protect the sides.

Contact Frosio Romano 0039 334 534 2901

Visit our website: www.valbroker.com

For road transport we cooperate with Paolo Meroni of Yacht Service srl a Como.

We speak English, German, Spanish and French.

The data is considered correct but not guaranteed. Sales commission not

Specifications

YEAR

2004

WIDTH

3.67

FUEL TANK CAPACITY

1700

CABINS

2

ENGINE MANUFACTURER

Caterpillar 3126Dita

HORSE POWER

2 X 350 CV

LENGTH

11.70

DRAFT

0.74

GUESTS CRUISING

10

BATHROOMS

1

ENGINE HOURS

171



Ge	n	0	ra	
uc		₩	·	П

TYPE

Motorboat

CURRENT LOCATION Lago di como BRAND

cantiere leopoldo colombo

MODEL

Lobster 38

GUESTS CRUISING

10

Dimensions / Performance

WEIGHT (T) 8.60

FUEL CAPACITY (L)

1700

CRUISING SPEED (ND)

25

TOP SPEED (ND)

31

Building / facilities

HULL MATERIAL Legno

BATHROOM(S)

DECK MATERIAL TEAK

AMOUNT OF CABINS

2

BERTHS

4

Engine room

ENGINE

Caterpillar 3126Dita

NUMBER OF ENGINES HORSE POWER (CV) 2 x 350

ENGINE HOURS

171

PROPULSION

Nibral 4 pale

FUEL

Diesel



Electricity /	air conditioning	9
---------------	------------------	---

ENGINE BATTERY GENERATOR

Navigation equipment

TRACER RADAR AUTO PILOT VHF

NAVIGATION COMPASS SONAR

Galley/Laundry/Entertainment

FRIDGE

Deck equipment

DECK SHOWER



Cantiere Leopoldo Colombo Lobster 38



NEW CLASSIC



A flance, l'es metri di Calambo in surviçuzione nel Lorino wetti e midment a territo wetti e midment a territo metri e midment e i l'importable disparent e l'importable disparent data dalla consistie di massi la bisti e la construccione in legere. Satta a simistra, di pauditata di Pedro, fiotoprofato dal busso, per midatare il proservato i processo di pauditata di Pedro, fiotoprofato dal busso, per midatare il georessa finestratura della maga.

Cele mosta dal la bezo per il soggiorne e il georessa di parattario del proteccione della proteccione di posterio dal proteccione di posterio dal proteccione di posterio dal proteccione di posterio della proteccione di posterio di post





direct must di vermice poliuertanica. I motori, due Caterpollur da 550 cualil l'uno in grado di spingere Pedro a una velecuti. massima di 11 rodi, por posizionati stoto le purche del prozecto, peribi littamite positione dettro l'apreche del prozecto, peribi littamite positione detronolaralici. I des exbrato di posibili, peri una bidi el 1700 litti di caterno, el trovisde puodo, peri un sulci, di 1700 litti di caterno, el trovise è di cica latterie di 37 mapphe l'uno, di cui te per il motore
de l'attenia pei ser viere, sono collocate sono jarenti dell'ampio pozitto. Ci interna prevedona un unico ambiente
del propositione del consistente del propositione del consistente periori del propi con le
motorpo del coperto, mantenoniale di praza. Noncerco i a

poppa, dalla doccia estema calda e freeda alla passerella telecomandata, dal generatore da 3,5 kW nascoto a poppa el figure de la figure de control proprio de la figure de control proprio de la figure de control proprio estable l'assetto in navigazione, dalle alette in legato installate per proteggere la financate a una completa strumentazione di bordo che comprende radur, CPS e scandaglio. Il tocco finale lo ha dato la situación da tiesual fisanzi, che la realizzato sia la bianchestra di bagno personalizzata sia quella delle cabine.

Con questo sució il cantiere Codonolo si conferma come una

territe. Care agesto scale il caratiere Colombo ai conferent come trot immo dei più importanti construttori statori altra situati di scali in legioni di scali in legioni di scali in legioni di scali in legioni di scali si con un arrativo sistesio dalli in radizione, modellaro nelli sono di scali in contrato in construtto di scali in radizione, modellaro nelli scali in contrato di scali in radizione, modellaro nelli scali in contrato di scali in radizione, modellaro nelli scali in contrato di scali in radizione, modellaro di scali in contrato in contrato di scali in scali in radizione in scali in scali in radizione in scali in scali in scali in radizione in scali in scal

























NEW CLASSI

































































