



SALE NEW

bali 4.6

943 000 € + VAT

Description

Brand new Bali 4.6 2024.
Never touched the Water – still at the Shipyard
2 x 57 hp Yanmar Upgrade
5 Cabins – 4 bathroom configuration.
Generator – A/C – Electronics.
Ready to sail.

Specifications

YEAR

2024

WIDTH

7.66

GUESTS CRUISING

12

BATHROOMS

4

HORSE POWER

2 X 57 CV

LENGTH

14.31

DRAFT

1.27

CABINS

5

ENGINE MANUFACTURER

Yanmar

General

TYPE	BRAND	MODEL	GUESTS CRUISING
catamaran	bali	4.6	12
CURRENT LOCATION			
South of france			

Building / facilities

HULL MATERIAL	AMOUNT OF CABINS	BATHROOM(S)
POLYESTER	5	4

Building / facilities description

Air conditioning / Heater Generator

Engine room

ENGINE	NUMBER OF ENGINES HORSE POWER (CV)	ENGINE YEAR	FUEL
Yanmar	2 x 57	2023	Diesel

Electricity / air conditioning

BATTERY CHARGER	SERVICE BATTERY	INVERTER
-----------------	-----------------	----------

Navigation equipment

GPS	RADAR	VHF	NAVIGATION COMPASS
INDICATOR	AIS	ANCHOR	

Deck equipment

WINDLASS	SWIM LADDER	NAVIGATION LIGHTING
----------	-------------	---------------------

Deck equipment description

- 1 electric winch for main halyard and solent furler control, mainsheet.
- 1 winch for reefing lines and solent sheets, & mainsheet
- 2 manual or electric winches for gennaker, code zero or asymmetrical spinnaker sheets as option

Safety equipment / miscellaneous

FIRE ALARM	LIFE RAFT	LIFE JACKET	BILGE PUMP
------------	-----------	-------------	------------

Boat equipment description

- 1500 W windlass vertical axis with cabled remote*
- Optional extra windlass control at helmstation
- Stainless steel bow roller under nacelle for main anchor
- 2 padeyes for anchor bridle

Sail equipment description

- 72 m2 Fully battened Mainsail in Dacron with 3 reefs
- 44 m2 Self-tacking "cross cut" Solent Jib in Dacron, on furler*
- Anodized aluminum mast, air-draught: 22.33 m
- LED anchor light
- LED steaming and deck light
- Outlets for main halyard, self-tacking solent halyard, topping lift and spinnaker Ball bearing mainsail luff cars
- Anodized aluminum boom
- Solent forestay
- Furler on forestay
- 2 Capshrouds in stranded stainless steel 2 lower shrouds in stranded stainless steel























