





# Description

Standard FeaturesCOCKPIT- Beverage Holders (6)- Fuel Fill w/Integrated Vent-Grab Handles (6)- Helm Bucket Seat - Swivels- Lockable Glove Box to Port-Waterproof AM/FM Stereo Controller w/Inputs for iPod & MP3ELECTRICAL SYSTEMS- Battery SwitchENGINE COMPARTMENT- 12v Blower- Bilge PumpHELM-12v Accessory Outlet- 12v Horn-Instrumentation: Speedometer, Volt, Fuel, Tachometer, Trim Gauge-Padded Steering Wheel-Rack and Pinion Power Steering-Side-Mounted Engine Controls w/Trim & Tilt Switch in Handle-Tilt SteeringHULL AND DECK- 12v Navigation Lights- Bow and Transom Eyes (3)- Non-Skid Fibreglass Floor-Integral Transom Platform w/Ladder-Mooring Cleats (6)-Safety Handholds- Stainless Steel Tow Ring- Vinyl Gunwale Moulding-Wraparound Windshield w/Safety Glass & Opening Centre SectionCABIN-Fibreglass Ceiling Liner in Cabin- One Deck Hatch- Two Deck-Side Windows-Sleeping Capacity for TwoFactory Fitted Extras- Blue Hull Sides with Red Waterline Tape- Canvas Pack Enclosure (Bimini Top / Enclosure Curtains / Cockpit Cover) - Preferred Equipment Package (Stainless Steel Pack / Cockpit Table / Portable Head) - Portside Helm Sink & Transom Shower - Desert Sand Interior- Cockpit Flooring Teak Mat- Swim Platform Teak Mat- Cushion Pack (Helm Bucket Seat Upgrade / Bow Sunpad)- Ski Pole- Hydraulic Steering System-Simrad G09 Chart Plotter with Active Trim-Refrigerator DrawerUK Extras- UK PDI & Delivery Ex Bates Wharf- Commissioning KitTrailer Options- Euro Bunk Trailer R4/2600B available - 5,600 inc. VAT- Euro Roller Trailer R4/2600EL available - 6,150 inc. VATDisclaimerThe Company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information

# **Specifications**

YEAR

2023

**WIDTH** 

2.56

**HORSE POWER** 

0 X 150 CV

LENGTH

6.21

**ENGINE MANUFACTURER** 

Mercury



#### General

BRAND MODEL CURRENT LOCATION bayliner Vr5 cuddy Chertsey, uk

## **Building / facilities**

HULL MATERIAL GRP

### **Engine room**

ENGINE NUMBER OF ENGINES HORSE POWER (CV)

Mercury 0 x 150































