



SALE NEW

kawasaki Stx 160lx jetski



Description

Power- Engine 4-stroke, DOHC, four valves per cylinder, 4-cylinder inline-Displacement 1,498cc- Bore x Stroke 83.0 x 69.2mm- Compression Ratio 10.6:1-Induction Naturally aspirated - Maximum Boost N/A- Cooling System Inducted water-Fuel System DFIwith 60mm throttle body-Ignition TCBI with digital advance- Starting System Electric- Propulsion System 148mm jet pump, axialflow, single stage- Impeller 3-blade, oval-edge stainless steel- Thrust 957 IbPerformance-Lubrication Semi-dry sump system-Coupling Direct drive from engine-Oil Capacity 5.8 qt.- Fuel Capacity 20.6 gal.- Load Capacity 496 lb.-Storage Capacity 35.0 gal.Dimensions-LxWxH3,152x1,181x1,153mm-Fuel capacity 78 litres- Curb Mass 398 kqTrailer & Cover- The trailer is available as a standard model or with upgraded tyres, wheels & custom paint.- Standard EXT750B 1,394 / Roller 1,450- Balloon TyresEXT750B 1,507 / Roller 1,567- Alloys & Balloon TyresEXT750B 1,668 /Roller 1,735 - Colour Matched, Alloys & Balloon TyresEXT750B 2,191 /Roller 2,387- Cover available - TBCDisclaimerThe Company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change, or withdrawal without notice.

Specifications

YEAR

2023

WIDTH

1.21

LENGTH

3.16



General

brand Model CURRENT LOCATION kawasaki Stx 160lx jetski Chertsey, uk

Building / facilities

HULL MATERIAL GRP

Engine room

NUMBER OF ENGINES (CV)

0















































