





Description

The 15-degree deadrise angle transom is a strong argument for swift speed and easy planing to maximize engine efficiencies throughout the operating range of the common rail 12-cylinder MAN diesels. Standard fuel capacity is 1.445 gallons and this can be increased to 1.745 for additional range. Fuel, water and waste tanks are manufactured by Viking with its exclusive resin infusion process and designed so the tank bottoms mirror the hull bottom. This maximizes draw and enhances the center of gravity. Visually, the aggressively raked stem of this boat makes it clear that its mission is to get offshore quickly in the worst conditions without "sacrificing speed or comfort. The hull's razor-like entry is a complement to the flare and the convex curvatures of the running surface. This permits the hull to ride high while ripping over and through head seas followed by a soft and gentle transition as it re-enters coming back down into the trough. Whenever you fish and regardless of how far you have to go, when you throttle back to drop the outriggers and put the lines over, you will feel refreshed and ready for the first strike of the day and stay that way until it is time to head home. Call for further details.

Navigation equipment:

Rudder angle indicator, Radar Antenna, On-Board Computer, Depth Sounder (Furuno), GPS (Furuno), 2 Chartplotter (Furuno), Co-pilot seat.

Staging and technical:

Fume/Gas Detector, 2 Engine Alarm, Bilge Alarm, Water pressure pump, Batteries (set completo motori e servizi), Teak Side Decks (zona pozzetto), Special Colour

Specifications

YEAR

2008

WIDTH

5.41

FUEL TANK CAPACITY

5468

CABINS

3

ENGINE MANUFACTURER

MAN V12 1550 CRM

HORSE POWER

2 X 1550 CV

LENGTH

16.67

DRAFT

1.57

GUESTS CRUISING

12

BATHROOMS

ENGINE HOURS

2140





General

TYPE Motorboat

CURRENT LOCATION

Sardegna

BRAND

viking yachts

MODEL

54' convertible

GUESTS CRUISING

12

Dimensions / Performance

WEIGHT (T) 9999.99 FUEL CAPACITY (L)

5468

CRUISING SPEED (ND)

34

TOP SPEED (ND)

38

Building / facilities

HULL MATERIAL Vetroresina

BERTHS 6

HULL COLOR

Blue

BATHROOM(S)

DECK MATERIAL Vtr e Teak AMOUNT OF CABINS

Engine room

ENGINE

MAN V12 1550 CRM

FUEL Diesel NUMBER OF ENGINES HORSE POWER (CV)

2 x 1550

BOW THRUSTER

ENGINE HOURS

2140

PROPULSION

Veem, 5 pale



TV



Electricity / air conditioning

ENGINE BATTERY	BATTERY CHARGER	GENERATOR	AIR CONDITIONING	
Navigation equipmer	nt			
GPS	TRACER	RADAR	AUTO PILOT	
VHF	NAVIGATION COMPASS	SONAR	SPEEDOMETER	
ANCHOR				
Galley / Laundry / Ent	ertainment			

FRIDGE

Deck equipment

DECK SHOWER

MICROWAVE

DVD PLAYER

Safety equipment / miscellaneous

FREEZER

BILGE PUMP





































































